

Products price list

IZOTREND, s.r.o.



Insulation of chimneys and caliducts / pipes

LP-AL Lamella stripes on AL-foil



Density kg/m3	Thickness mm	EUR/m2 without VAT	EUR/m2 with VAT	Density kg/m3	Thickness mm	EUR/m2 without VAT	EUR/m2 with VAT	Density kg/m3	Thickness mm	EUR/m2 without VAT	EUR/m2 with VAT	Density kg/m3	Thickness mm	EUR/m2 without VAT	EUR/m2 with VAT
35	20	3,14	3,77	50	20	3,19	3,83	65	20	3,24	3,89	90	20	3,39	4,07
35	30	3,54	4,25	50	30	3,59	4,31	65	30	3,64	4,37	90	30	4,04	4,85
35	40	3,94	4,73	50	40	4,04	4,85	65	40	4,24	5,09	90	40	4,69	5,63
35	50	4,29	5,15	50	50	4,44	5,33	65	50	4,64	5,57	90	50	5,29	6,35
35	60	4,65	5,58	50	60	4,74	5,69	65	60	5,09	6,11	90	60	5,89	7,07
35	80	5,35	6,42	50	80	5,50	6,60	65	80	5,94	7,13				
35	100	6,09	7,31	50	100	6,24	7,49	65	100	6,99	8,39				

The length is produced according to the clients demands. There are produced in common thicknesses: 20 mm with legth 10 m, 30mm/8m, 40mm/6m, 50mm/5m, 60mm/4m, 70mm/3m, 80mm/3m. The width of the band is 1000 mm or 500 mm.

Flue lining



Profile [mm]	Width [mm]	L/2 [mm]	Thickness [mm]	Eur/ks without VAT	Eur/ks with VAT
140	330	440	56	1,20	1,44
160	330	440	46	1,40	1,68
180	330	440	36	1,60	1,92
200	330	440	26	1,80	2,16

The width and the thickness are produced according to the clients demands.

Floor insulation



PTN				PTE				PTS			
Thickness (mm)	Packing m ² /bal	EUR/m ² without VAT	EUR/m ² with VAT	Thickness (mm)	Packing m ² /bal	EUR/m ² without VAT	EUR/m ² with VAT	Thickness (mm)	Packing m ² /bal	EUR/m ² without VAT	EUR/m ² with VAT
20/15*	9,6	1,64	1,97	20	9,6	1,94	2,33	20	7,2	2,47	2,96
30/25*	6	2,47	2,96	30	6	2,89	3,47	30	4,8	3,67	4,40
40/35*	4,8	3,19	3,83	40	4,2	3,84	4,61	40	3,6	4,85	5,82
50/45*	4,2	4,02	4,82	50	3,6	4,79	5,75	50	3	6,04	7,25

Facades insulation

Nobasil FKD



Nobasil FKD - S



Fasádne lamely FKL



Agrocube FL



Thickness (mm)	Packing m ² /bal	EUR/m ² without VAT	EUR/m ² with VAT	Thickness (mm)	Packing m ² /bal	EUR/m ² without VAT	EUR/m ² with VAT	Thickness (mm)	Packing m ² /bal	EUR/m ² without VAT	EUR/m ² with VAT	Thickness (mm)	Packing m ² /bal	EUR/m ² without VAT	EUR/m ² with VAT
20	7,2	1,88	2,26					20	10,8	1,68	2,02	20	10,8	2,41	2,892
30	4,8	2,83	3,39					30	8,64	2,63	3,16	30	8,64	3,36	4,032
40	3,6	3,78	4,53					40	5,76	3,58	4,30	40	5,76	4,31	5,172
50	3	4,72	5,66					50	4,32	4,52	5,42	50	4,32	5,25	6,3
60	2,4	5,18	6,21	60	3	4,87	5,84	60	4,32	4,98	5,98	60	4,32	5,71	6,852
70	1,8	6,03	7,24	70	2,4	5,68	6,82	70	3,6	5,83	7,00	70	3,6	6,56	7,872
80	1,8	6,89	8,27	80	2,4	6,22	7,46	80	2,88	6,69	8,03	80	2,88	7,42	8,904
100	1,2	8,63	10,35	100	1,2	7,78	9,34	100	2,16	8,43	10,12	100	2,16	9,16	10,992
120	1,2	11,28	13,54	120	1,2	9,32	11,18	120	2,16	11,08	13,30	120	2,16	11,81	14,172
140	1,2	13,18	15,81	140	1,2	10,9	13,08	140	2,16	12,98	15,58	140	2,16	13,71	16,452

Dimension 1200 x 200 mm.

Dimension 1200 x 200 mm and 1000 x 200 mm
The thickness can be adapted in 1 mm.

Attic insulation

Nobasil MPN



Thickness (mm)	Packing m ² /bal	EUR/m ² without VAT	EUR/m ² with VAT
40	9	1,25	1,50
50	7,2	1,56	1,87
60	6	1,88	2,26
80	3,6	2,51	3,01
100	3,6	2,98	3,58
120	3	3,58	4,30
140	2,4	4,18	5,02
150	2,4	4,48	5,38
160	1,8	4,78	5,74
180	1,8	5,38	6,46
200	1,8	5,97	7,16

Classic 040



Thickness (mm)	Packing m ² /bal	EUR/m ² without VAT	EUR/m ² with VAT
50/100	2 x 10000	0,92	1,10
60/120	2 x 75000	1,10	1,32
80	12500	1,47	1,76
100	11000	1,75	2,10
120	9000	2,09	2,51
140	7000	2,45	2,94
160	6000	2,80	3,36
180	5500	3,15	3,78
200	5000	3,50	4,20
220	4500	3,85	4,62
240	4500	4,20	5,04
260	3200	4,55	5,46

Drap



Sacks with 8 or 10 kg of material.
0,40 EUR without VAT/kg

Fire-protection and insulation of doors

Agrocube FL



Thickness	Packing	EUR/m ²	EUR/m ²
20	10,8	2,41	2,89
30	8,64	3,36	4,03
40	5,76	4,31	5,17
50	4,32	5,25	6,30
60	4,32	5,71	6,85
70	3,6	6,56	7,87
80	2,88	7,42	8,90
100	2,16	9,16	10,99
120	2,16	11,81	14,17
140	2,16	13,71	16,45

The thickness can be adapted in 1 mm.

Agrocube PD



Thickness	dimension mm	EUR/ks without VAT	EUR/ks with VAT
35	1830x470	11,00	13,20
36	1830x470	11,10	13,32
Thickness	dimension mm	EUR/ks without VAT	EUR/ks with VAT
35	1830x570	11,20	13,44
36	1830x570	11,30	13,56
Thickness	dimension mm	EUR/ks without VAT	EUR/ks with VAT
35	1830x670	11,40	13,68
36	1830x670	11,50	13,80
Thickness	dimension mm	EUR/ks without VAT	EUR/ks with VAT
35	1830x770	11,60	13,92
36	1830x770	11,70	14,04

Thickness and length can be changed.

Sloping boards

Agrocube SD



Thickness (mm)	pcs/palette	packing height	m2/palette	EUR/m2 without VAT	EUR/m2 with VAT
----------------	-------------	----------------	------------	--------------------	-----------------

Boards with covering

Agrocube KD



Thickness (mm)	Density (kg/m3)	EUR/m2 without VAT	EUR/m2 with VAT
----------------	-----------------	--------------------	-----------------



40/20	42	1412	42	6,57	7,884
60/40	20	1152	20	11,95	14,34
80/60	16	1272	16	15,67	18,804

The slope can be adapted according to the clients demands.



40	50 kg/m ³	3,04	3,65
50	50 kg/m ³	3,44	4,13
60	50 kg/m ³	3,74	4,49
70	50 kg/m ³	4,12	4,94
80	50 kg/m ³	4,50	5,40
100	50 kg/m ³	5,24	6,29

There are in offer white and black NGR and AL-foil.

Packing on palettes according to the clients demands.
It is possible to change density and thickness.
There can be cover also glass wool if required.
Please contact us for price offer.

90mm/3m, 100mm/2,5m.

1.

